



FIRE Retardants Inc.™

The Decision You Make May Save A Life!

123 Columbia Court North • Suite 201 • Chaska, MN 55318

952-448-7377 • FAX: 952-448-2613

Fire Retardant "HOT LINE" 1-800-913-9385

e-mail: info@fireretardantsinc.com

Visit Our Web Site at www.fireretardantsinc.com

Section V – Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	X	

Incompatibility (Materials to Avoid)

Do not mix with petroleum solvents or strong oxidizing agents

Hazardous Decomposition or By Products

Do not mix with petroleum solvents or strong oxidizing agents

Hazardous Polymerization	May Occur	X	Conditions to Avoid High temperatures and exposure to oxidizing agents
	Will Not Occur		

Section VI – Health Hazard Data

Route(s) of Entry	Inhalation? Yes	Skin? Yes	Ingestion? Yes
-------------------	--------------------	--------------	-------------------

Health Hazards (Acute and Chronic)

May aggravate pre existing conditions. May cause irritation to skin, eyes, and respiratory tract.

Carcinogenicity:	NTP? No	(ARC Monographs?) No	OSHA Regulated? No
------------------	------------	-------------------------	-----------------------

Signs and Symptoms of Exposure

Inhalation: Headache, dizziness, nausea. EYES: May cause irritation.

SKIN: May cause redness, itching, irritation.

Medical Conditions

Generally Aggravated by Exposure

Pre-existing respiratory, skin or eye conditions may be aggravated from exposure.

Emergency and First Aid Procedures

INHALATION: Remove to fresh air. SKIM/EYE: Flush with water.

Section VII – Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

Absorb with inert material. Containerize for disposal.

Waste Disposal Method

Dispose in accordance with Federal, State and Local regulations for paint.

Precautions to Be Taken in Handling and Storing

Keep container closed when not in use. Transfer to approved containers with appropriate labeling.

Other Precautions

Keep out of reach of children.

Section VIII – Control Measures

Respiratory Protection (Specify Type)

Use approved (NIOSH/MSHA) respirator when spraying.

Ventilation	Local Exhaust	Special
	Mechanical (General) Provide sufficient ventilation in volume and pattern to keep air from contamination.	Other

Protective Gloves

Impervious

Eye Protection

Below exposure limits.
Goggles/face shield